




TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001



## TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 4




Fig. 5




Fig. 6

TWO SHOT MOLDING METHOD AND ..... WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 7




Fig. 8

TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY  
Application No. 10/087,215  
Inventor: Martin D. H. Clarke  
Docket No. 4594-001




Fig. 9

TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 10




Fig. 11

TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 12




Fig. 13